

AD-A109 704

NAVAL POSTGRADUATE SCHOOL MONTEREY CA

F/6 12/2

ESTIMATING THE DEMAND UNCERTAINTY IN SINGLE-PERIOD INVENTORY PR--ETC(U)

SEP 81 P SRINOPAKOON

UNCLASSIFIED

NL

1 - 1
AD-A109 704


END

DATE

FILMED

2-82

DTIC



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

LEVEL *11*

2

NAVAL POSTGRADUATE SCHOOL
Monterey, California

AD A109704



DTIC
EXTRACTED
JAN 18 1982
H

THESIS

ESTIMATING THE DEMAND UNCERTAINTY
IN SINGLE-PERIOD INVENTORY PROBLEMS
USING THE GOMPERTZ CURVE AND THE
SCHMEISER-DEUTSCH DISTRIBUTION

by

Pranom Srinopakoon

September 1981

Thesis Advisor:

G. F. Lindsay

Approved for public release; distribution unlimited.

FILE COPY

01 15 82 026

251450

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
	ADA 109 704	
4. TITLE (and Subtitle) Estimating the Demand Uncertainty in Single-Period Inventory Problems Using the Gompertz Curve and the Schmeiser- Deutsch Distribution		5. TYPE OF REPORT & PERIOD COVERED Master's thesis; September 1981
7. AUTHOR(s) Pranom Srinopakoon		6. PERFORMING ORG. REPORT NUMBER
8. PERFORMING ORGANIZATION NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		9. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS Naval Postgraduate School Monterey, California 93940		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
12. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE September 1981
		13. NUMBER OF PAGES 38
		14. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Single-period inventory problem; Newsboy problem; Inventory theory; Inventory demand distributions; Schmeiser-Deutsch distribution; Gompertz curve		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The optimal order quantity for the case of uncertainty in the newsboy problem depends on the maximum demand. In previous work it was assumed that the demand distribution was known. In practice, this is often not the case. This		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE
S/N 0102-014-6001

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE/When Data Entered

(20. ABSTRACT Continued)

study suggests some procedures which can be used to estimate the demand distribution even if data on unsatisfied demands are not available.

Accession For	
NTIS GRA&I	<input checked="checked" type="checkbox"/>
DTIC TAB	<input type="checkbox"/>
Unannounced	<input type="checkbox"/>
Justification	
By	
Distribution/	
Availability Codes	
Dist	Avail and/or Special
A	

DD Form 1473
Jan 73
S/N 0102-014-6601

UNCLASSIFIED
SECURITY CLASSIFICATION OF THIS PAGE/When Data Entered

Approved for public release; distribution unlimited.

Estimating the Demand Uncertainty
in Single-Period Inventory Problems Using
the Gompertz Curve and the Schmeiser-Deutsch Distribution

by

Pranom Srinopakoon
Captain, Royal Thai Air Force
B.S., Chulalongkorn University, Thailand, 1971

Submitted in partial fulfillment of the
requirements for the degree of

MASTER OF SCIENCE IN OPERATIONS RESEARCH

from the

NAVAL POSTGRADUATE SCHOOL

September 1981

Author

Approved by:

Glenn F. Lindsay
Thesis Advisor

Charles F. Taylor, Jr.
Second Reader

J. P. Hunt
Chairman, Department of Operations Research

W. M. Woods
Dean of Information and Policy Sciences

ABSTRACT

The optimal order quantity for the case of uncertainty in the newsboy problem depends on the maximum demand. In previous work it was assumed that the demand distribution was known. In practice, this is often not the case. This study suggests some procedures which can be used to estimate the demand distribution even if data on unsatisfied demands are not available.

TABLE OF CONTENTS

I.	INTRODUCTION -----	9
II.	ESTIMATION OF MAXIMUM DEMAND -----	12
	A. USING THE GOMPERTZ CURVE TO ESTIMATE THE MAXIMUM DEMAND -----	12
	B. USING THE SCHMEISER-DEUTSCH DISTRIBUTION TO ESTIMATE THE MAXIMUM DEMAND -----	18
	C. ESTIMATING MAXIMUM DEMAND WHEN THERE IS NO DATA ON UNSATISFIED DEMAND -----	19
III.	ESTIMATION OF OPTIMAL ORDER QUANTITY -----	22
	A. OPTIMAL ORDER QUANTITY UNDER UNCERTAINTY ---	22
	B. OPTIMAL ORDER QUANTITY UNDER RISK -----	23
IV.	CONCLUSIONS AND APPLICATIONS -----	25
	APPENDIX A: THE SCHMEISER-DEUTSCH DISTRIBUTION -----	27
	APPENDIX B: TI-59 PROGRAMS -----	31
	LIST OF REFERENCES -----	37
	INITIAL DISTRIBUTION LIST -----	38

LIST OF TABLES

I. DEMAND AND ITS CUMULATIVE RELATIVE FREQUENCY ----	15
II. COMPUTATIONS IN FINDING A GOMPERTZ CURVE -----	17
III. SALES DATA AND THEIR CUMULATIVE RELATIVE FREQUENCY -----	20

LIST OF FIGURES

1. The Gompertz Curve with $0 < a < 1$, $0 < b < 1$ ----- 13

ACKNOWLEDGMENTS

I gratefully acknowledge the considerable time and effort that my thesis advisor, Professor Glenn Lindsay, from the U.S. Naval Postgraduate School, Department of Operations Research, and LCDR Charles Taylor, Jr., from the U.S. Naval Postgraduate School, Department of Operations Research, expended while assisting me in my thesis effort.

I. INTRODUCTION

The perishable product is beginning to receive attention in the inventory problem. Often, it has a fixed lifetime after which it becomes useless to satisfy demands. Newspapers, medical drugs, human blood, photographic films and some foodstuffs are common examples.

An inventory problem for perishable products is often treated as a single-period inventory problem, sometimes called a newsboy problem. The newsboy problem was introduced by Morse and Kimball in 1950 and the development of it has been presented in several journals and publications. A brief history of it was given by Masuda [Ref. 1].

A well-known characterization of the newsboy problem is:

The newsboy must decide how many papers to purchase for resale during the day. If he buys too many papers--that is, more papers than people will purchase from him--he will have papers left at the end of the day and will incur a loss on each, since old newspapers have little salvage value. If, on the other hand, he purchases too few papers for resale, he will sell out early and his later customers will not be able to buy from him; he thus incurs a cost (lost profit) for each paper he could have sold, but didn't. The newsboy's problem is to decide how many papers to have on hand at the beginning of the day so as to minimize the losses (due to surplus or shortage) at the end of the day. [Ref. 2]

Finding good solutions to the newsboy problem depends upon the amount of information about the magnitude of demand X.

In recent research dealing with newsboy ordering decision where little information existed about demand, it was

assumed that at the end of each period the demand for that period would be known [Refs. 1,3,4]. In order for this to happen, one would need unlimited supply or some way to measure the demand from unsatisfied customers. In practice, this is often not the case. For example, when the newsstand is empty, the later customers will not stop at that newsstand. Accordingly, we do not know how many more customers would like to buy that newspaper. Thus, we may have frequency data on demand only up to the value of supply.

This thesis is intended to provide methods permitting solutions to the newsboy problem when we only have demand frequencies up to the supply value.

In Chapter II, two procedures will be proposed to estimate the maximum demand. The first procedure uses the Gompertz Curve since the nature of the demand cumulative distribution function (c.d.f.) can be viewed as a growth curve with the market saturate as an asymptote. The second procedure suggested is the four-parameter Schmeiser-Deutsch Distribution since it can take on a wide variety of shapes so as to match many distributions. Also, the Schmeiser-Deutsch Distribution was found to be a suitable procedure for the case of limited supply.

Using the estimation of maximum demand together with the unit cost of surplus and the unit cost of outage, the estimation of optimal order quantity is discussed in Chapter III for the "under uncertainty" and "under risk" cases.

Conclusions and applications are given in Chapter IV.
A review of the Schmeiser-Deutsch Distribution is presented
in Appendix A.

II. ESTIMATION OF MAXIMUM DEMAND

Care should be taken to estimate the maximum demand since the optimal ordering quantity for uncertainty depends on it. In this chapter, two alternatives are suggested to estimate the maximum demand when we have unlimited supply. Then, we will show how one of these methods may be used to estimate maximum demand when there is no data on unsatisfied demand (the case of limited supply).

The procedures that appear suitable and realistic are (1) using the Gompertz Curve and (2) using the Schmeiser-Deutsch Distribution. We will discuss the Gompertz Curve first.

A. USING THE GOMPERTZ CURVE TO ESTIMATE THE MAXIMUM DEMAND

In the terminology of economics, the demand c.d.f. can be considered as a "growth curve" since it has a "market saturate" as an upper asymptote. The Gompertz Curve is the most generally used growth curve. Its formula

$$Y = ka^{b^X}, \quad (1)$$

where X is the time series and Y is the sales amount, depends on the values of the parameters k , a and b (or their logarithms), it may take on any one of a variety of shapes [Ref. 5].




Figure 1. The Gompertz Curve with $0 < a < 1$, $0 < b < 1$

We are interested in using the Gompertz Curve with $0 < a < 1$ and $0 < b < 1$ to approximate the c.d.f. of demand. This form of the Gompertz Curve is known to be asymptotic to k . When we fit the Gompertz Curve to the observed cumulative frequency of the data, k should theoretically be 1.0. In practice, however, it may depart slightly from 1.0. To compensate for this, we use the following form to approximate the c.d.f.:

$$\frac{Y}{k} = a b^X$$

The following description is taken from [Ref. 5]:

The parameters k , a and b are obtained as follows:

- 1) Be certain that the number of observations is divisible by 3, i.e., there are $3N$ periods of base data.
- 2) Take the common logarithms of each Y .
- 3) Add the first N $\log Y$'s to obtain $\Sigma_1 \log Y$; then the second N data points to obtain $\Sigma_2 \log Y$; and the last N points to obtain $\Sigma_3 \log Y$.
- 4) Set the smallest observation to be unity.

5) Substitute in the following formulas:

$$b^N = \frac{\Sigma_3 \log Y - \Sigma_2 \log Y}{\Sigma_2 \log Y - \Sigma_1 \log Y} , \quad (2)$$

$$\log a = (\Sigma_2 \log Y - \Sigma_1 \log Y) \cdot \frac{(b-1)}{(b^N-1)^2} , \quad (3)$$

and

$$\log k = \frac{1}{N} \cdot (\Sigma_1 \log Y - \frac{b^N-1}{b-1} \cdot \log a) . \quad (4)$$

With values of k , a and b , one can compute Y for any value of X using the formula of the Gompertz Curve. Also, the formula can be derived from the Gompertz Curve to generate X from the Gompertz Curve as:

$$X = \frac{\log(\frac{\log Y - \log k}{\log a})}{\log b} \quad (5)$$

In this chapter, we wish to estimate the maximum demand. If the demand distribution has an infinite upper tail, we can not hope to estimate the 100th percentile of demand. We will be content, therefore, with the 99th percentile of demand. This is found by setting $(Y/k) = .99$ or $Y = .99k$ in equation (5), i.e.,

$$X_{\max} \text{ will be } = \frac{\log(\frac{-.0044}{\log a})}{\log b} , \quad (6)$$

which may be considered to be the estimator of the maximum demand if the smallest observed X is unity. (If not, the maximum demand should be adjusted to be X plus the smallest X minus one.)

As an example assume that the demands for newspapers have been 10, 6, 9, 7, 5, 13, 11, 7, 8, 8. Using the Gompertz Curve to estimate the maximum demand, we can proceed as follows:

Let X be the demand for newspapers, and Y be the cumulative relative frequency of X .

TABLE I
DEMAND AND ITS CUMULATIVE RELATIVE FREQUENCY

<u>X</u>	<u>Y</u>
5	0.1
6	0.2
7	0.4
8	0.6
9	0.7
10	0.8
11	0.9
12	0.9
13	1.0

Since Y is a growth curve, it can be approximated by the Gompertz Curve, $Y = ka^{b^X}$. To determine the appropriate values of k , a and b using the method described above:

1) From these data, there are 9 distinct values between the smallest observation (5) and the largest observation (13), and 9 is divisible by 3. (Here, $N = 9/3 = 3$.)

2) In the third column of Table II, Y's are converted to log Y's.

3) Values of $\sum_1 \log Y$, $\sum_2 \log Y$ and $\sum_3 \log Y$ are shown in the fourth column of Table II.

4) Since the smallest observed X is not 1.0, the maximum demand should be adjusted by adding the difference between the smallest observed X and 1.0. This is because the Gompertz Curve assumes the smallest observation is unity.

5) From equation (2);

$$\begin{aligned} b^N &= ((-.0915) - (-.4737)) / ((-.4737) - (-2.0969)) \\ &= 0.2355 . \end{aligned}$$

Therefore,

$$b = 0.6175 .$$

From equation (3);

$$\begin{aligned} \log a &= (-.4737 - (-2.0969)) (.6175 - 1) / (.2355 - 1) \\ &= -1.0622 . \end{aligned}$$

Therefore,

$$a = 0.0867 .$$

From equation (4);

$$\begin{aligned} \log k &= \frac{1}{3} (-2.0969 - (.2355 - 1) (-1.0622) / (.675 - 1)) \\ &= 0.0087 . \end{aligned}$$

Therefore,

$$k = 1.0203 .$$

I.e., the Gompertz Curve is $Y = (1.0203)(0.0867)(0.6175)^X$.

Using the 99th percentile, the maximum demand is

$$X_{\max} = 11.3964 + (5-1) = 15.3964$$

$$= 15.$$

TABLE II

COMPUTATIONS IN FINDING A GOMPERTZ CURVE

<u>X</u>	<u>Y</u>	<u>Log Y</u>	<u>$\Sigma \text{Log Y}$</u>
5	0.1	-1.0000	} $\Sigma_1 \log Y = -2.0969$
6	0.2	-0.6990	
7	0.4	-0.3979	
8	0.6	-0.2218	} $\Sigma_2 \log Y = -0.4737$
9	0.7	-0.1549	
10	0.8	-0.0969	
11	0.9	-0.0458	} $\Sigma_3 \log Y = -0.0915$
12	0.9	-0.0458	
13	1.0	0	

A program for the TI-59 to determine the maximum demand when the smallest observed X is unity, and to determine the parameters (k, a and b), is given in Appendix B (Program B1).

Experimentation with simulated data seems to indicate that the Gompertz Curve procedure works well when supply is unlimited, but not nearly so well when supply is limited.

B. USING THE SCHMEISER-DEUTSCH DISTRIBUTION TO ESTIMATE THE MAXIMUM DEMAND

K. Pearson pointed out that a theoretical distribution must have at least four free parameters, in order to fit the four characteristics (location, dispersion, skewness, and kurtosis) adequately [Ref. 6]. Kottas and Lau recommends the four-parameter Schmeiser-Deutsch Distribution as most suitable [Ref. 6]. The details of the Schmeiser-Deutsch Distribution are given in Appendix A.

The Schmeiser-Deutsch Distribution has a finite upper tail. Furthermore, if X is a random variable having the Schmeiser-Deutsch Distribution, there exists a closed-form expression for the maximum value of X . This expression is $a+b(1-d)^c$, where a , b , c and d are the four free parameters.

Using the data in the previous example, we will employ the Schmeiser-Deutsch Distribution to estimate the maximum demand. We first estimate the parameters using the algorithm in Appendix A:

- 1) The mode $m = (7+8)/2 = 7.5$.
Set $a = 7.5$.
- 2) Set $d = (Y(7)+Y(8))/2 = 0.5$.
- 3) Select the two desired quantiles which satisfy equation (9), namely,

$$p_1 = 0.2, \quad x_1 = 6$$

and

$$p_2 = 0.9, \quad x_2 = 11$$

Substitute in equation (10), yielding $c = 2.9453$.

4) Substitute in equation (11), yielding $b = 52.0120$.

Then, the maximum demand is

$$\begin{aligned} X_{\max} &= a + b(1-d)^c \\ &= 14.2529 \approx 14. \end{aligned}$$

This compares very well with the result obtained by using the Gompertz Curve which was $X_{\max} = 15.3964$. For these data, there is no substantial difference between these two alternative methods of estimating X_{\max} .

A program for the TI-59 to determine the maximum demand and the four parameters of the Schmeiser-Deutsch Distribution is given in Appendix B (Program B2).

C. ESTIMATING MAXIMUM DEMAND WHEN THERE IS NO DATA ON UNSATISFIED DEMAND

In the previous work it was implicitly assumed that the value of demand for each period was obtainable even if demand is greater than supply. This rarely happens in the real world unless backorders are taken. Speaking of the "newsboy problem", the newsboy can collect the data in the range of

demand from zero to ordering quantity (Q) only. When the newspapers are sold out, he will not know how many more were in demand for that day. If he is recording the sales, his observed data on that day will be $X = Q$ even if the demand is actually $X \geq Q$.

The Schmeiser-Deutsch Distribution can be easily used to investigate the case when data for demands greater than the quantity Q are not available. This is because its parameters can be estimated using only the mode and two selected distinct percentiles.

As an example, suppose that the newsboy orders only 10 newspapers for each day. His sales data for a 10 day period are 10, 6, 9, 7, 5, 10, 10, 7, 8, 8. (Instead of demand, which was 10, 6, 9, 7, 5, 13, 11, 7, 8, 8.) The sales data and their cumulative relative frequency will be:

TABLE III
SALES DATA AND THEIR CUMULATIVE RELATIVE FREQUENCY

<u>X</u>	<u>Y(X)</u>
5	0.1
6	0.2
7	0.4
8	0.6
9	0.7
10	1.0

Since $\Pr(X = 10)$ is actually $\Pr(X \geq 10)$, we will ignore this data point.

Following the algorithm in Appendix A for the rest of the data points:

- 1) Set $a = 7.5$.
- 2) Set $d = 0.5$.
- 3) Select $p_1 = 0.6$, $x_1 = 8$, $p_2 = 0.7$, $x_2 = 9$ which satisfy equation (9).

Substitute in equation (10), yielding $c = 1.5850$.

- 4) Substitute in equation (11), yielding $b = 19.2279$.

From this, the maximum demand is $X_{\max} = 13.9093$ which is close to X_{\max} when the newsboy has unlimited supply.

With this X_{\max} , one can determine Q^* . Procedures to do this are discussed in the next chapter.

III. ESTIMATION OF OPTIMAL ORDER QUANTITY

In the previous chapter it was shown how to estimate the maximum demand (X_{\max}). In this chapter, the estimate of the optimal order quantity (Q^*) for the case of uncertainty and also for the case of risk will be discussed.

A. OPTIMAL ORDER QUANTITY UNDER UNCERTAINTY

When data in hand is not sufficient to estimate the possible future values of demand or when the distribution of demand is not known, the problem of deciding on Q falls into the class called decisions under uncertainty.

It has been shown that the optimal decisions under uncertainty (Q^*) are [Ref. 1]:

$$Q^* = \left(\frac{c_o}{c_s + c_o} \right) \cdot X_{\max}, \quad \text{for a continuous demand,}$$

and

$$Q^* < \left(\frac{c_o}{c_s + c_o} \right) (X_{\max} + 1) < Q^* + 1,$$

for a discrete demand, where c_s is the unit cost of surplus and c_o is the unit cost of outage.

Since one consequence of each decision is another observation of demand, one begins under uncertainty and uses the uncertainty optimal order quantity until demand data is adequate to estimate the distribution of demand and change to the optimum order quantity under risk.

B. OPTIMAL ORDER QUANTITY UNDER RISK

When one says "under risk", one means that the probability distribution of demand is known or, at least, some estimate of the probability distribution of demand is available. The latter case is possible using the Schmeiser-Deutsch Distribution suggested in Appendix A.

The optimal order quantity under risk is the value of Q^* such that

$$F(Q^*) = \frac{c_o}{c_s + c_o}, \quad \text{for a continuous demand distribution,}$$

and

$$F(Q^*-1) < \frac{c_o}{c_s + c_o} < F(Q^*),$$

for a discrete demand distribution.

It should be noted here that all one really needs to estimate the probability distribution of demand is a value for the $[c_o/(c_o+c_s)]^{\text{th}}$ quantile. The inverse c.d.f. of the Schmeiser-Deutsch Distribution can easily take care of this problem.

As an example, suppose that the newsboy purchased the newspapers at the cost of 10¢ each and he can sell them for 20¢ each, with leftovers having a salvage value of 5¢ each.

Let p be the ratio $[c_o/(c_o+c_s)]$. Therefore, $p = 2/3$.

Consider the data from the previous example at the end of Chapter II. These data are adequate for a decision under

risk. The p^{th} quantile can be estimated by the inverse c.d.f. of the Schmeiser-Deutsch distribution,

$$F^{-1}(p) = \begin{cases} a-b(d-p)^c & \text{if } p \leq d \\ a+b(p-d)^c & \text{if } p > d, \end{cases}$$

where the four parameters were found to be $a = 7.5$, $b = 19.2279$, $c = 1.5850$ and $d = 0.5$.

Therefore, $F^{-1}(p) = 8.623$, which is the value of Q^* for the case of continuous demand.

For the case of discrete demand, the optimal order quantity under risk is the value of Q^* such that $F(Q^*-1) < p < F(Q^*)$, and then $Q^* = 9$ in this example.

In the next chapter we will give conclusions and applications from this work.

IV. CONCLUSIONS AND APPLICATIONS

One of the important requirements needed to obtain the optimal order quantity in newsboy problems is the nature of the demand distribution. This thesis suggested some procedures which can be used to estimate the demand distribution even if data on unsatisfied demand are not available. In the case where it is hard to tell what common distribution the demand should belong to, the Schmeiser-Deutsch Distribution was felt to be useful.

It is fitting at this point to explain how the procedures from this and other research on the newsboy problems would be used.

Suppose we are starting a sequence of single-period inventory ordering decisions but have no information on the distribution of demand.

One way of employing these results would involve three phases:

1) For the decisions at time period 1 through some period m , the newsboy would probably rely upon a guess at the value of the maximum demand (X_{\max}). Considering the unit cost of surplus (c_s) and the unit cost of outage (c_o), he has two alternatives:

- (a) In case of $c_s \ll c_o$, use $Q^* = X_{\max}$.
- (b) Otherwise, use the uncertainty decision rule.

$$Q^* = [c_o / (c_s + c_o)] \cdot X_{\max} .$$

2) For time periods $(m+1)$ through some later period n , he would use $Q^* = [c_o/(c_o + c_s)] \cdot X_{\max}$ with the value of X_{\max} obtained from the Gompertz Curve or the Schmeiser-Deutsch Distribution, using data from the first m periods. Clearly, he may wish to revise this estimate as more data become available.

3) After time period n , he can switch from treating the decision as a decision under uncertainty to a decision under risk, using the inverse c.d.f. of the Schmeiser-Deutsch Distribution to estimate the value of $[c_o/(c_o + c_s)]^{\text{th}}$ quantile, which is known to be Q^* for continuous demand.

It should be noted here that because of the data needed, m must provide at least three periods where he did not sell out, and from the work of Yong-u Sok, n should provide at least five periods where he did not sell out [Ref. 4].

From the work outlined above we have a reasonable means of starting a sequence of newsboy decisions when there is no information about the demand distribution and lost sales are unknown. It is hoped that the procedures suggested in this paper will be useful to those interested in single-period inventory problems and their solutions.

APPENDIX A

THE SCHMEISER-DEUTSCH DISTRIBUTION

In this appendix, the Schmeiser-Deutsch Distribution will be briefly reviewed. For a further study [Ref. 6] and [Ref. 7] are suggested.

Due to the lack of convenient methods of generating random values from distributions having more arbitrary shapes, the Schmeiser-Deutsch Distribution was developed and found suitable for generating random values from many common statistical distributions.

The Schmeiser-Deutsch Distribution can take on a wide variety of shapes, which makes it useful for many applications. Distributions ranging from Bernoulli trials through U-shaped distributions to the uniform distribution, as well as heavier tailed distributions, are obtainable. Also, shapes ranging from symmetry to maximum skewness, as measured by the third moment, are possible. The Schmeiser-Deutsch Distribution can have values for the first four moments so as to match any of the well-known distributions, and straightforward parameter determination techniques exist.

A most favorable characteristic of the Schmeiser-Deutsch Distributions is the existence of simple closed-form expressions for both the c.d.f. and the inverse c.d.f., being respectively,

$$F(x) = p = \begin{cases} d - [(a-x)/b]^{1/c} & \text{if } (a-bd^c) \leq x \leq a \\ d + [(x-a)/b]^{1/c} & \text{if } a \leq x \leq a+b(1-d)^c \end{cases} \quad (7)$$

and

$$x = F^{-1}(p) = \begin{cases} a - b(d-p)^c & \text{if } p \leq d \\ a + b(p-d)^c & \text{if } p > d \end{cases} \quad (8)$$

where a , b , c and d are the four parameters of the distribution, and p is a percentile [Ref. 7].

"The location and the spread of the distribution are determined by a and b , respectively. The shape of the distribution, often measured in terms of skewness and tail-weight (or peakness), is determined by $-(d-p)^c$ in case of $p \leq d$, or $(p-d)^c$ in case of $p > d$. This factor is a transformation from the rectangular shape of the uniform distribution to the shape of interest. The $d = 0.5$ yields a symmetric distribution. If $c > 1$, then skew is to the right for $d < 0.5$ and to the left for $d > 0.5$. (If $c < 1$, the direction of skew is reversed.)" [Ref. 7]

"The distribution possesses two characteristics which may adversely affect its usefulness for specific modeling purposes. The first characteristic is that the value of the density function evaluated at the mode, $f(x = a)$, assumes

only three values: zero for $0 \leq c < 1$, one for $c = 1$, and infinity for $c > 1$. The second characteristic is the truncated tails of the distribution." [Ref. 7]

"Despite the truncated tails, the distribution's versatility in assuming a wide variety of shapes makes it a reasonable model for a wide range of processes. This is due to the ability to assume the essential features of a process, which often makes the truncation insignificant." [Ref. 7]

Parameter Determination [Ref. 7]

The mode and quantiles are used in estimating parameters for the Schmeiser-Deutsch Distribution. The Schmeiser-Deutsch Distribution is useful in two common situations. The first is when full information is not available, but such quantities as the "most likely value" and the "minimum" and "maximum" values can be estimated. The second situation is when data is in histogram form where $F(m)$ is the percentile of the mode m . The two desired quantiles, $p_1 = F(x_1)$ and $p_2 = F(x_2)$, must satisfy either of the following two expressions:

$$\begin{aligned} &(|a-x_1| < |x_2-a| \quad \text{and} \quad |d-p_1| < |p_2-d|) \\ &(|a-x_1| < |x_2-a| \quad \text{and} \quad |d-p_1| < |p_2-d|) \end{aligned} \tag{9}$$

Although computations to determine the four parameters can be easily handled by computer, much attention has been given in this thesis to develop "manual procedures", meaning manual computational capability. The TI-59 handheld calculator

(characterized by low price and surprising capability and compactness) can be considered as a "manual" tool, and a program for the TI-59 to determine the four parameters is given in Appendix B.

An algorithm for estimating the parameters is as follows:

[Ref. 7]

- 1) Set $a = m$
- 2) Set $d = F(m)$
- 3) Set

$$c = \ln \left| \frac{a-x_1}{a-x_2} \right| / \ln \left| \frac{d-p_1}{d-p_2} \right| \quad (10)$$

$$4) \text{ Set } b = |a-x_1| / |d-p_1|^c \quad (11)$$

5) Due to the existence of the inverse c.d.f. in closed-form, the value of X corresponding to a percentile p of the distribution may be found by inserting p into equation (8).

Furthermore, the range of X can be calculated easily by substituting $p = 0$ and $p = 1$ at Step 5), or obtained directly from equation (7) since $X_{\min} = a-bd^c$ and $X_{\max} = a+b(1-d)^c$. At this point, one should determine whether or not the obtained distribution is an adequate model by plotting the p.d.f. or c.d.f. [Ref. 7].

APPENDIX B

TI-59 Programs

This appendix presents two TI-59 programs to determine the maximum demand and the parameters. The first program is using the Gompertz Curve with the restriction that the smallest X is unity. The second program is using the Schmeiser-Deutsch Distribution with the two desired quantiles satisfying equation (9).

Program B₁

1. Program Description

The program will estimate the maximum demand using the Gompertz Curve, and will also determine the parameters (k , a and b) in $Y = ka^{b^X}$.

2. User Instruction

<u>Step</u>	<u>Procedure</u>	<u>Enter</u>	<u>Press</u>	<u>Display</u>
1	Enter n	n	[A]	n
2	Enter Y_1, \dots, Y_{3n}	Y_1	[R/S]	Y_1
		\vdots	\vdots	\vdots
		\vdots	\vdots	\vdots
		\vdots	\vdots	\vdots
		Y_n	[R/S]	$\sum_1 \log Y$
		Y_{n+1}	[R/S]	Y_{n+1}
		\vdots	\vdots	\vdots
		\vdots	\vdots	\vdots
		\vdots	\vdots	\vdots
		Y_{2n}	[R/S]	$\sum_2 \log Y$

<u>Step</u>	<u>Procedure</u>	<u>Enter</u>	<u>Press</u>	<u>Display</u>
		Y_{2n+1}	R/S	Y_{2n+1}
		.	.	.
		.	.	.
		Y_{3n}	R/S	$\sum_3 \log Y$
3	Compute X_{\max}		B	X_{\max}
4	Review parameters (optional)			
	k		C	k
	a		D	a
	b		E	b

The maximum demand shown on the display is for the case when the smallest observed X is unity. Otherwise, the maximum demand should be adjusted by adding X_{\min}^{-1} , where X_{\min} is the smallest observed X .

```

000 76 LBL
001 11 A
002 47 CMS
003 42 STD
004 57 57
005 42 STD
006 58 58
007 42 STD
008 59 59
009 35 1/X
010 42 STD
011 04 04
012 01 1
013 42 STD
014 56 56
015 43 RCL
016 57 57
017 91 R/S
018 42 STD
019 55 55
020 28 LOG
021 44 SUM
022 01 01
023 43 RCL
024 57 57
025 32 XIT
026 43 RCL
027 56 56
028 67 EQ
029 16 A'
030 01 1
031 94 +/-
032 44 SUM
033 57 57
034 43 RCL
035 55 55
036 61 GTD
037 00 00
038 17 17
039 76 LBL
040 16 A'
041 43 RCL
042 01 01
043 76 LBL
044 18 C'
045 91 R/S
046 42 STD
047 55 55
048 28 LOG
049 44 SUM

```

```

050 02 2
051 43 RCL
052 58 58
053 32 XIT
054 43 RCL
055 56 56
056 67 EQ
057 17 B'
058 01 1
059 94 +/-
060 44 SUM
061 58 58
062 43 RCL
063 55 55
064 61 GTD
065 18 C'
066 76 LBL
067 17 B'
068 43 RCL
069 02 02
070 76 LBL
071 19 D'
072 91 R/S
073 42 STD
074 55 55
075 28 LOG
076 44 SUM
077 03 03
078 43 RCL
079 59 59
080 32 XIT
081 43 RCL
082 56 56
083 67 EQ
084 10 E'
085 01 1
086 94 +/-
087 44 SUM
088 59 59
089 43 RCL
090 55 55
091 61 GTD
092 19 D'
093 76 LBL
094 10 E'
095 43 RCL
096 03 03
097 91 R/S
098 76 LBL
099 12 B

```

```

100 53 (
101 53 (
102 43 RCL
103 03 03
104 75 -
105 43 RCL
106 02 02
107 54 )
108 55 +
109 53 (
110 43 RCL
111 02 02
112 75 -
113 43 RCL
114 01 01
115 54 )
116 54 )
117 42 STD
118 05 05
119 45 YX
120 43 RCL
121 04 04
122 95 =
123 42 STD
124 06 06
125 28 LOG
126 95 =
127 42 STD
128 07 07
129 43 RCL
130 06 06
131 75 -
132 01 1
133 95 =
134 42 STD
135 06 06
136 43 RCL
137 05 05
138 75 -
139 01 1
140 95 =
141 42 STD
142 05 05
143 53 (
144 43 RCL
145 02 02
146 75 -
147 43 RCL
148 01 01
149 54 )

```

150	65	X	200	76	LBL
151	43	RCL	201	14	D
152	06	06	202	43	RCL
153	55	+	203	08	08
154	43	RCL	204	27	INV
155	05	05	205	23	LNK
156	33	X ²	206	91	R/S
157	95	=	207	76	LBL
158	42	STD	208	15	E
159	08	08	209	43	RCL
160	65	X	210	07	07
161	43	RCL	211	27	INV
162	05	05	212	23	LNK
163	55	+	213	91	R/S
164	43	RCL	214	00	0
165	06	06			
166	95	=			
167	94	+/-			
168	85	+			
169	43	RCL			
170	01	01			
171	95	=			
172	65	X			
173	43	RCL			
174	04	04			
175	95	=			
176	42	STD			
177	09	09			
178	00	0			
179	93	.			
180	09	9			
181	09	9			
182	28	LOG			
183	55	+			
184	43	RCL			
185	08	08			
186	95	=			
187	28	LOG			
188	55	+			
189	43	RCL			
190	07	07			
191	95	=			
192	91	R/S			
193	76	LBL			
194	13	C			
195	43	RCL			
196	09	09			
197	27	INV			
198	23	LNK			
199	91	R/S			

Program B2

1. Program Description

Estimate the maximum demand using the Schmeiser-Deutsch Distribution. Also determine the parameters (a, b, c and d) in

$$F(x) = \begin{cases} d - \left[\frac{a-x}{b}\right]^{1/c} & \text{if } a-bd^c \leq x \leq a \\ d + \left[\frac{x-a}{b}\right]^{1/c} & \text{if } a \leq x \leq a+b(1-d)^c \end{cases}$$

2. User Instruction

<u>Step</u>	<u>Procedure</u>	<u>Enter</u>	<u>Press</u>	<u>Display</u>
1	Enter mode m	m	R/S	m
2	Enter F(m)	F(m)	R/S	F(m)
3	Enter p ₁	p ₁	R/S	p ₁
4	Enter x ₁	x ₁	R/S	x ₁
5	Enter p ₂	p ₂	R/S	p ₂
6	Enter x ₂	x ₂	R/S	x ₂
7	Compute X _{max}		DI	X _{max}
8	Review parameters (optional)			
	a		A	a
	b		B	b
	c		C	c
	d		D	d

000 42 STD
 001 01 01
 002 91 R/S
 003 42 STD
 004 04 04
 005 91 R/S
 006 42 STD
 007 05 05
 008 91 R/S
 009 42 STD
 010 06 06
 011 91 R/S
 012 42 STD
 013 07 07
 014 91 R/S
 015 42 STD
 016 08 08
 017 91 R/S
 018 76 LBL
 019 15 E
 020 53 (
 021 53 (
 022 53 (
 023 43 RCL
 024 01 01
 025 75 -
 026 43 RCL
 027 06 06
 028 54)
 029 55 +
 030 53 (
 031 43 RCL
 032 01 01
 033 75 -
 034 43 RCL
 035 08 08
 036 54)
 037 54)
 038 50 IXI
 039 23 LNX
 040 55 +
 041 53 (
 042 53 (
 043 43 RCL
 044 04 04
 045 75 -
 046 43 RCL
 047 05 05
 048 54)
 049 55 +

050 53 (
 051 43 RCL
 052 04 04
 053 75 -
 054 43 RCL
 055 07 07
 056 54)
 057 54)
 058 50 IXI
 059 23 LNX
 060 54)
 061 42 STD
 062 03 03
 063 53 (
 064 53 (
 065 43 RCL
 066 01 01
 067 75 -
 068 43 RCL
 069 06 06
 070 54)
 071 50 IXI
 072 55 +
 073 53 (
 074 53 (
 075 43 RCL
 076 04 04
 077 75 -
 078 43 RCL
 079 05 05
 080 54)
 081 50 IXI
 082 45 YX
 083 43 RCL
 084 03 03
 085 54)
 086 54)
 087 42 STD
 088 02 02
 089 53 (
 090 01 1
 091 75 -
 092 43 RCL
 093 04 04
 094 54)
 095 45 YX
 096 43 RCL
 097 03 03
 098 65 X
 099 43 RCL

100 02 2
 101 85 +
 102 43 RCL
 103 01 01
 104 95 =
 105 91 R/S
 106 76 LBL
 107 11 A
 108 43 RCL
 109 01 01
 110 91 R/S
 111 76 LBL
 112 12 B
 113 43 RCL
 114 02 02
 115 91 R/S
 116 76 LBL
 117 13 C
 118 43 RCL
 119 03 03
 120 91 R/S
 121 76 LBL
 122 14 D
 123 43 RCL
 124 04 04
 125 91 R/S
 126 00 0
 127 00 0
 128 00 0
 129 00 0
 130 00 0
 131 00 0
 132 00 0
 133 00 0
 134 00 0
 135 00 0
 136 00 0
 137 00 0
 138 00 0
 139 00 0
 140 00 0
 141 00 0
 142 00 0
 143 00 0
 144 00 0
 145 00 0
 146 00 0
 147 00 0
 148 00 0
 149 00 0

LIST OF REFERENCES

1. Masuda, Junichi, The Single-Period Inventory Model: Origins, Solutions, Variations, and Applications, M.S. Thesis, NPS, September 1977.
2. Lindsay, Glenn F., The Newsboy Problem, NPS, June 1979.
3. Sagdic, Kadir, A Decision Procedure for the Transition from Uncertainty to Risk in a Single-Period Inventory Problem, M.S. Thesis, NPS, September 1978.
4. Sok, Yong-u, A Study of Alternative Quantile Estimation Methods in Newsboy-type Problems, M.S. Thesis, NPS, March 1980.
5. Ullmann, John E., Quantitative Methods in Management, McGraw-Hill Book Company, 1976.
6. Kottas, John F., and Lau, Hon-Shiang, "The Use of Versatile Distribution Families in Some Stochastic Inventory Calculations," Journal of Operational Research Society, Vol. 31, 393-403, May 1980.
7. Schmeiser, Bruce W., and Deutsch, Stuart J., "A Versatile Four Parameter Family of Probability Distributions Suitable for Simulation," AIIE Transactions, Vol. 9, No. 2, 176-182, June 1977.

INITIAL DISTRIBUTION LIST

	No. Copies
1. Defense Technical Information Center Cameron Station Alexandria, Virginia 22314	2
2. Library, Code 0142 Naval Postgraduate School Monterey, California 93940	2
3. Department Chairman, Code 55 Department of Operations Research Naval Postgraduate School Monterey, California 93940	1
4. Professor G.F. Lindsay, Code 55Ls Department of Operations Research Naval Postgraduate School Monterey, California 93940	1
5. LCDR C.F. Taylor, Jr., SC, USN, Code 55Ta Department of Operations Research Naval Postgraduate School Monterey, California 93940	1
6. CPT. Pranom Srinopakoon Royal Thai Air Force Academy Bangkok, Thailand	2